energeeks

XANLITE

HOME

LED bulbs, recessed lights, tubes, strips LED, our XANLITE HOME range will help you in your everyday life. Whether you need to light large rooms or small spaces, provide diffused or focused lighting, create a relaxing or stimulating atmosphere, our products provide different atmospheres for different desires.












PACK2VG50S | 3700619423050









PACK2VG50SCW | 3700619423067

	345	50
	LM	WATT
4000K - NEUTRAL WH	IITE	

Ø50 x53 mm GU10 base Angle 36° Conso 4W

F

E

15000 h of life 230V AC SMD LED 5-year guarantee



Reference	EAN	Description	PSP	
PACK2VG50S	3 ¹¹ 700619 ¹¹ 423050	Set of 2 SMD LED spotlights, GU10 base, 345 Lumens, equivalent to 35W, 2700 K, Warm White	8	
PACK2VG50SCW	3 ¹ 700619 ¹ 423067	Set of 2 SMD LED spotlights, GU10 base, 345 Lumens, equivalent to 35W, 4000 K, Neutral White	8	
PACK2RFDE800B95A	3 ¹ 700619 ¹ 426747 ¹	Set of 2 LED bulbs, E27 base, 806 Lumens, 9W consumption (equivalent to 60W, 1800 K, Warm White	6	









PACK2RFDE800STA | 3700619426761



Ø64 x140 mm E27 base Angle >240°

Conso 9W

15000 h of life 230V AC LED Filament 5-year guarantee





PACK2EE806GCW | 3700619412603

		806	60
		LM	WATT
	4000K - NEUTRAL WH	ITE	
Ø60 x112 mm E27 base Angle >120° Conso 9W	15000 h of life 230V AC SMD LED 5-year guarantee		

806

LM

60

WATT



EAN PSP Reference Description Set of 2 Amber LED Filament Bulbs ST64 Edison, E27 base, 806 Lumens, PACK2RFDE800STA Equivalent to 60W, 1800K, Warm White 6 _ _ _ _ _ _ _ _ _ Set of 2 Opaque SMD LED Bulbs A60, E27 base, 806 Lumens, equivalent to PACK2EE806GCW 8 60W, 4000 K, Neutral White _ _ _ _ _ _ _ _ _ Set of 2 Opaque SMD LED Bulbs A60, E27 base, 806 Lumens, equivalent to 60W, 2700 K, Warm White PACK2EE806G 8










Ø60 x112 mm E27 base Angle >120° Conso 11W

15000 h of life 230V AC SMD LED 5-year guarantee



Reference	EAN	Description	PSP	
PACK2EE1055GCW	3 ¹ 700619 ¹ 412627 ¹	Set of 2 Opaque SMD LED Bulbs A60, E27 base, 1055 Lumens, equivalent to 75W, 4000 K, Neutral White	8	
PACK2EE1055G	3 ¹ 700619 ¹ 412610	Set of 2 Opaque SMD LED Bulbs A60, E27 base, 1055 Lumens, equivalent to 75W, 2700 K, Warm White	8	
PACK2EV470FCW	3 ¹⁷⁰⁰⁶¹⁹ ⁴¹¹⁶¹³	Set of 2 Opaque SMD LED Flame Bulbs, E14 base, 470 Lumens, equivalent to 40W, 4000 K, Neutral White	8	









Ø35 E14 Ang Con

E

PACK2EV470F | 3700619411606

	470	40
	LM	WATT
5 x98 mm 15000 h of life I base 230V AC gle >120° SMD LED nso 4.9W 5-year guarantee		

RFDE280B125S | 3700619419992





300 LM


28 WATT

60

WATT

15000 h of life

230V AC LED Filament 5-year guarantee



Reference	EAN	Description	PSP	
PACK2EV470F	3 ⁷⁰⁰⁶¹⁹ 411606	Set of 2 Opaque SMD LED Flame Bulbs, E14 base, 470 Lumens, equivalent to 40W, 2700 K, Warm White	8	
RFDE280B125S	3 ¹⁷⁰⁰⁶¹⁹ 419992	Spiral G125 Decorative LED Filament Bulb, E27 Base, 300 Lumens, Equivalent to 28W, 1800K, Warm White	8	
RFDE806GBOCW	3 ⁷⁰⁰⁶¹⁹ 426419	Mug Opal LED Filament Bulb, E27 Base, 806 Lumens, 60W Equivalent, 4000 K, Neutral White	4	









RFDE806M1500CW | 3700619426426



60

WATT

15000 h of life 230V AC LED Filament 5-year guarantee







RFDE400B125IRB | 3700619423746

	prative ulb	600 	48 WATT
G105 170			

Ø125 x172 mm E27 base Angle >240° Conso 6W

15000 h of life 230V AC LED Filament

5-year guarantee










Ø124 x165 mm E27 base Angle >240° Conso 3W

15000 h of life 230V AC LED Filament 5-year guarantee











RFDEB125DVPINK | 3700619428314



Ø124 x165 mm E27 base Angle >240° Conso 3W E

15000 h of life 230V AC LED Filament 5-year guarantee

RFDE300BLG | 3700619426402







340 LM

WATT

30

Ø135 x192 mm E27 base Angle >240° Conso 4W


15000 h of life 230V AC LED Filament 5-year guarantee



Reference	EAN	Description	PSP	
RFDEB125DVPINK	3 ¹ 700619 ¹ 428314 ¹	G125 Double Glass Pink LED Filament Bulb, E27 Base, 270 Lumens, 2700 K, Warm White	4	
RFDE300BLG	3 "700619 4 26402	Green Balloon Filament LED Bulb, E27 Base, 340 Lumens, Equivalent to 30W, 2200 K, Warm White	4	
RFDE300BLP	3 ¹ 700619 ¹ 426396	Pink Balloon Filament LED Bulb, E27 Base, 300 Lumens, Equivalent to 30W, 2000 K, Warm White	4	

GARDEN

Balises, appliques, guirlandes, projecteurs muraux, grâce à notre gamme XANLITE GARDEN illuminez votre extérieur. Fonctionnant à l'énérgie solaire ou sur secteur, nos produits permettent aussi bien de décorer, d'éclairer que de sécuriser.











SORETRO4 | 3700619429786



Ø138 x170 mm Autonomy 8H Guarantee 2 years







SOLASN | 3700619432335



Ø232 x300 mm Autonomy 8H Guarantee 2 years







PACK2SPSO4 | 3700619429748



6500K - COOL WHITE

Ø110 x20 mm Autonomy 8H Guarantee 2 years

Reference	EAN	Description	PSP
SORETRO4	3 700619 429786	IP44 LED solar lantern with rope and metal, 8h autonomy, Warm white, display 12pcs	12
SOLASN	3 700619 432335	Black IP44 spiral solar lantern, metal, 8h autonomy, Warm white, display x12pcs	12
PACK2SPS04	3 700619 429748	Set of 2 metal and glass solar LED spotlights, IP44, 8-hour autonomy, 6500 K, Cool White	12







Ø118 x425 mm Autonomy 8H Guarantee 2 years



SOBAFLAM | 3700619432281











Ø125 x390 mm Autonomy 8H Guarantee 2 years



PACK3SO1017B | 3700619435510

IP44











PACK3S050B | 3700619417929



Ø100 x380 mm Autonomy 8H Guarantee 2 years

Reference	EAN	Description	PSP	
SOBAFLAM	3 700619 432281	Black Solar LED Bollard, Flame Effect, IP44, 8-hour Autonomy, 12-Piece Display	12	
PACK3SO1017B	3 700619 435510	Set of 3 Solar LED Path Lights, IP44, White, RGB	6	
PACK3S050B	3 ^{700619¹417929}	Set of 3 Solar LED Ball Path Lights, IP44, RGB, 8-hour autonomy.	12	









APS200D | 3700619435862



100 x100 x100 mm Guarant Autonomy 6H Range 3m Detection 5m

3000K - WARM WHITE Guarantee 2 years







APS250D | 3700619429755



5000K - COOL WHITE

46 x95 x123 mm Autonomy 8H Detection 5m Guarantee 2 years





Reference	EAN	Description	PSP	
APS200D	3 ¹ 700619 ¹ 435862 ¹	Solar LED Wall Light with Motion Detection, IP44, 200 Lumens	4	
APS250D	3 ¹ 700619 ¹ 429755 ¹	Solar LED Wall Light with Motion Detection, IP65, 250 Lumens, Display 12pcs	12	
APS400D	3 "700619 " 438009 "	Black Solar LED Wall Light with Motion Detection, 400 Lumens, 5000 K, Display 12 PCS	12	









APSAR300D2SV23 | 3700619437507









5000K - COOL WHITE

105 x129 x80 mm Detection 5m IP54 Deactivatable sensor Guarantee 2 years Autonomy 10H



APSAR600D2SV23 | 3700619437514











5000K - COOL WHITE

180 x112 x61 mm IP54 Deactivatable sensor Autonomy 10H Detection 5m Guarantee 2 years









PRS1000D | 3700619435657




180 x175 x212 mm IP44

Guarantee 2 years

Autonomy 8H Detection 12m

Reference	EAN	Description	PSP
APSAR300D2SV23	3 ¹ 700619 ⁴ 437507	Hybrid Solar + USB Rechargeable Wall Light, 350 Lumens, IP54, 2 Light Sources, 3 Lighting Modes, Disableable Motion Detector, 10 Hours Autonomy, Display 12pcs	12
APSAR600D2SV23	3 700619 437514	Hybrid Solar + USB Rechargeable Wall Light, 700 Lumens, IP54, 2 Light Sources, 3 Lighting Modes, Disableable Motion Detector, 10 Hours Autonomy, Display 12pcs	12
PRS1000D	3 ¹ 700619 ⁴³⁵⁶⁵⁷	Solar Wall-mounted LED Floodlight with Deactivatable Motion Sensor, IP44, 1000 Lumens, 6500 K, Cool White	4







180 x140 x290 mm IP44 Powerful lighting Autonomy 18H

Detection 10m Guarantee 2 years



PACK2PSO350 | 3700619425450







2 Lighting

450 LM

COOL WHITE

43 x70 x230 mm IP44 Autonomy 8H Guarantee 2 years



- -





APPS200 | 3700619421933



6500K - COOL WHITE

73 x120 x420 mm 3 lighting modes Autonomy 14H Guarantee 2 years

QUANTITÉ LIMITÉ

Reference	EAN	Description	PSP	
PRS1500DB	3 ¹ 700619 ¹ 432403	Solar Wall-mounted LED Floodlight, IP44, with Motion Sensor, 2 Lighting Modes, 1500 Lumens, 4000 K, Neutral White	4	
PACK2PS0350	3 ¹ 700619 ¹ 425450 ¹	Set of 2 solar LED floodlights IP44, 450 Lumens, 2 lighting modes, Cool White	4	
APPS200	3 ¹ 700619 ¹ 421933 ¹	Solar LED Bollard, IP44, 200 Lumens, 2 Mounting Modes, 14 Hours Autonomy	8	









S01711A | 3700619425436



600

LM

3 Lighting modes

COOL WHITE



Ø160 x169 mm Autonomy 8H Detection 6m Guarantee 2 years

SO1711 | 3700619425443

ANLITE






Ø250 x450 mm Autonomy 8H Detection 6m Guarantee 2 years











Ø160 x130 mm Autonomy 6H Guarantee 2 years

Reference	EAN	Description	PSP	
S01711A	3 ¹ 700619 ¹ 425436	Solar LED Bollard Light with Motion Sensor, 3 Lighting Modes, 600 Lumens, 6500 K, Cool White	2	
S01711	3 "700619 " 425443	Solar-powered LED Ground Light, dual motion + twilight sensor, x3 lighting modes, 400 Lumens	2	
BOS16RVBWIP	3 ¹ 700619 ¹ 435686	RGB + White Solar Floating Ball LED, IP68, 2 Usage Modes	4	









TOS19RVBIP | 3700619435732



Ø190 x80 mm Autonomy 8H Guarantee 2 years

PACK2LPIP68RVB | 3700619429700







IP6



COLOR CHANGING + WHITE

Autonomy 30H

2-year guarantee

Ø70 x28 mm Remote Battery included (1x6F22) Guarantee 2 years







LP16CGRCCT | 3700619435824



Ø160 x300/450 mm

Metal

400 LM




EAN PSP Reference Description RGB LED Solar Floating Lamp, IP67 TOS19RVBIP 4 _ _ _ _ _ _ _ _ Set of 2 submersible LED IP68 battery-operated lights, remote control, RGB + PACK2LPIP68RVB White; display 12pcs 12 - - - - - - - - -Gray cone rechargeable table lamp LED IP44, 400 lumens, CCT and dimmable, adjustable height (30 or 45cm) LP16CGRCCT 4



















Ø160 x300/450 mm Metal Adjustable height IP44

Autonomy 30H 2-year guarantee













4000K

5000K

Ø160 x290/440 mm Metal Adjustable height IP44

Autonomy 30H 2-year guarantee

Autonomy 30H

2-year guarantee





LP16BTRCCT | 3700619435855



Ø160 x290/440 mm


Adjustable height IP44

Metal

400 LM



Reference	EAN	Description	PSP	
LP16CJRCCT	3 7 00619 4 35831	Yellow cone rechargeable table lamp LED IP44, 400 lumens, CCT and dimmable, adjustable height (30 or 45cm)	4	
LP16BKRCCT	3 7 00619 4 35848	Kaki metal rechargeable ball table lamp LED IP44, 400 lumens, CCT and dimmable, adjustable height (29 or 44cm)	4	
LP16BTRCCT	3 ¹⁷ 700619 ¹¹ 435855 ¹¹	Terracotta rechargeable ball table lamp LED IP44, 400 lumens, CCT and dimmable, adjustable height (29 or 44cm)	4	











Ø110 x382 mm IP44 USB charge Metal

Autonomy 40H Guarantee 2 years



LPM38ND | 3700619437972



LM

4000K

Ø110 x382mm IP44 USB charge Metal Autonomy 40H Guarantee 2 years









XDLAPCUBIKW | 3700619431802



85 x85 x85 mm E27 base Bulbs Not included 220V-240V AC Cable length 1.5m IP20 5-year guarantee

Reference	EAN	Description	PSP	
LPM38BD	3 ⁷⁰⁰⁶¹⁹ ⁴³⁷⁹⁶⁵	White metal LED table lamp 38cm USB rechargeable 250 lumens dimmable CCT, 3000-4000 K	4	
LPM38ND	3 ⁷⁰⁰⁶¹⁹ ⁴³⁷⁹⁷²	Black metal LED table lamp 38cm USB rechargeable 250 lumens dimmable CCT, 3000-4000 K	4	
XDLAPCUBIKW	3 700619 431802	Wooden Cube Table Lamp, Compatible with E27 Base, IP20, Max 60W	4	

















XDLAPCYCLOW | 3700619431819

DÉCO Decorative lighting



Cable length 1.5m IP20 5-year guarantee







XDLAPCUBIKB | 3700619432809

DÉCO Decorative lighting Blac

85 x85 x85 mm E27 base Bulbs Not included 220V-240V AC

Cable length 1.5m IP20 5-year guarantee







XDLAPCYCLOMN | 3700619433073



Ø85 x85 mm E27 base Bulbs Not included 220V-240V AC


Cable length 1.5m IP20 5-year guarantee

Reference	EAN	Description	PSP
XDLAPCYCLOW	3 700619 431819	Wooden Cylindrical Table Lamp, Compatible with E27 Base, IP20, Max 60W	4
XDLAPCUBIKB	3 ¹⁷⁰⁰⁶¹⁹ 432809	Black Metal Cube Table Lamp, Compatible with E27 Base, IP20, Max 60W	4
XDLAPCYCLOMN	3 ^{"700619"} 433073	Black Metal Cylindrical Table Lamp, Compatible with E27 Base, IP20, Max 60W	4













6500K - COOL WHITE

242 x198 x133 mm IP44 Powerful lighting Autonomy 6H

Detection 9m Guarantee 2 years







PRS1400D | 3700619438023




5000K - COOL WHITE

168 x185 x120 mm Angle NA Autonomy 10H Guarantee 2 years










PR10WM | 3700619415307

Autonomy 10H Detection 6m 2 lighting modes



Reference	EAN	Description	PSP
PRS2T1500D	3 700619 429762	Solar Wall mounted floodlight 2-Head LED, IP44, Motion Sensor, 1500 Lumens, 6500 K, Cool White	4
PRS1400D	3 700619 438023	Compact Black Solar Wall-mounted LED Floodlight, IP54, with Motion Sensor, 1600 Lumens, 5000 K, Cool White	12
PR10WM	3 700619 415307	Black Wall-mounted 10W LED Spotlight, IP65, 800 Lumens, 6500 K, Cool White	8









PR20WMDS | 3700619416038



Quick connectors 25000 h of life Conso 17W 3-year guarantee



PR30WM | 3700619415314

32 x150 x212 mm IP65 Angle 110°

90 x160 x125 mm

230V AC Conso 30W Angle Large

Range 50m





2600 160 LM WATT

6500K - COOL WHITE

Range 50m Quick connectors 25000 h of life 3-year guarantee



Reference	EAN	Description	PSP	
PR20WMDS	3 ¹⁷⁰⁰⁶¹⁹ 416038	Black Wall-mounted 20W LED Spotlight with 3 Brightness Levels, 1400 Lumens, 6500 K, Cool White	8	
PR30WM	3 ¹⁷ 700619 ¹¹ 415314 ¹	Black Wall-mounted 30W LED Spotlight, IP65, 2600 Lumens, 30W, 6500 K, Cool White	8	
PRAR30WMV23	3 ¹⁷⁰⁰⁶¹⁹ 437484	Wired 30W Wall-mounted Floodlight, 2500 Lumens, IP65, 5000K, Cool White	24	

*Recommended retail price. This price is given as an indication; the decision as to the final selling price rests with the distributor. Reproduction of the components of these display panels is strictly prohibited.







KANLITEGM









PR30WMD | 3700619434834

160 x170 x120 mm 230V AC IP44

Conso 30W F

OFF

133 x128 x158 mm

230V AC Conso 30W Angle Large



6500K - COOL WHITE



150







PRAR30WMDV23 | 3700619437491

2500 IP65 Waterpr LM WATT

5000K - COOL WHITE

Range 10m 25000 h of life

2-year guarantee







Reference	EAN	Description	PSP
PR30WMD	3 ¹⁷⁰⁰⁶¹⁹¹⁴³⁴⁸³⁴	Black Wall-mounted LED Spotlight with Motion Sensor, IP44, 2600 Lumens, 30W Consumption, 6500 K, Cool White	8
PRAR30WMDV23	3 ¹ 700619 ¹ 437491	Wired 30W Wall-mounted Floodlight, 2500 Lumens, Deactivatable Motion Sensor, IP65, 5000K, Cool White	24
PR50WM	3 ¹⁷⁰⁰⁶¹⁹ 415321	Black Wall-mounted 50W LED Spotlight, IP65, 4200 Lumens, 6500 K, Cool White	4









PR50WMD | 3700619424255



138 x195 x202 mm 230V AC IP44

Conso 50W F

Angle 110° Range 70m Detection 7m Quick connectors







PR100WM | 3700619424248




6500K - COOL WHITE

Range 100m Quick connectors 25000 h of life

3-year guarantee





PR10WR | 3700619406503

125 x190 x260 mm 230V AC Conso 100W Angle Large



6000K - COOL WHITE


54 x178 x244 mm Autonomy 6H Shock resistance IP54 Angle 110° Range 20m Cable length 2m 25000 h of life











PR20WR | 3700619403885

55 x228 x304 mm USB charge Autonomy 6H IP54



6000K - COOL WHITE

Shock resistance Angle 110° Range 30m Cable length 2m







PR10WF | 3700619415338



6500K - COOL WHITE

40 x178 x215 mm Mains socket IP44

Shock resistance

Angle 110° Range 30m Cable length 1.5m 25000 h of life



180

WATT

6500K - COOL WHITE

60 x235 x300 mm Mains socket IP44 Shock resistance


Angle 110° Range 50m Cable length 1.5m 25000 h of life











PR50WF | 3700619415345

60 x280 x350 mm

Shock resistance

236 x155 x243 mm USB charge Autonomy 10H Shock resistance



6500K - COOL WHITE

Angle 110° Range 70m Cable length 1.5m 25000 h of life







PRAR20WRV23 | 3700619437521





Guarantee 2 years

LM

5000K - COOL WHITE

Range 30m 25000 h of life











5000K - COOL WHITE

467 x155 x243 mm USB charge Autonomy 10H Shock resistance


Range 30m 25000 h of life Guarantee 2 years



Reference	EAN	Description	PSP	
PR50WF	3 7 00619 4 15345	IP44 LED Spotlight, 4200 Lumens, 6500 K, Cool White	4	
PRAR20WRV23	3 ¹⁷ 700619 ¹ 437521	IP54 Rechargeable USB-C LED Spotlight, 2300 Lumens, Rotatable, 3 Lighting Modes, Up to 10 Hours of Battery Life, 5000 K, Cool White, 8pcs Display	8	
PRAR30W3TRV23	3 ⁷ 700619 ⁴ 37538	IP54 Rechargeable USB-C LED Spotlight, 3400 Lumens, 3 Rotating Heads, 3 Lighting Modes, Up to 10 Hours of Battery Life, 5000 K, Cool White, 8pcs Display	8	









ECP50RDCW | 3700619429694



4000K - NEUTRAL WHITE

118 x30 x12 mm Angle >120° Adhesive fixing Autonomy 2H

2-year guarantee







ECP150CW | 3700619431918



6500K - COOL WHITE

Ø80 x35 mm Magnetic fixing Screw fixing Hook fixing

25000 h of life Guarantee 2 years







LSAK1RDCW | 3700619429670



4000K - NEUTRAL WHITE

- 8 x1000 mm 1M length USB charge Adhesive fixing
- 2 lighting modes 25000 h of life Guarantee 2 years

Reference	EAN	Description	PSP
ECP50RDCW	3 ¹ 700619 ¹ 429694	LED Cabinet and Drawer Lighting with Door Opening Detection, USB rechargeable, 50 Lumens, 4000 K, Neutral White	8
ECP150CW	3 ¹⁷⁰⁰⁶¹⁹ 431918	Motion-Sensing Supplementary Lighting, 200 Lumens, batteries included, 6500 K, Cool White, 12 pcs display	12
LSAK1RDCW	3 ["] 700619 ["] 429670 ["]	Motion-activated 1 M white LED light strip, USB rechargeable, 200 Lumens, 2 modes (night + day), 4000 K, Neutral White	8









ECP35RDCW | 3700619432021



3000K - WARM WHITE

Ø85 x23mm Angle >120° Adhesive fixing Magnetic fixing

76 x76 x30 mm Angle >120° Adhesive fixing Screw fixing Screw fixing Autonomy 1000 CYCLES Guarantee 2 years











3000K - WARM WHITE

Autonomy 1000 CYCLES Guarantee 2 years



PACK2ECP30TCW | 3700619431895



50 LM

4000K - NEUTRAL WHITE

70 x70 x18 mm Adhesive fixing Screw fixing Guarantee 2 years

Reference	EAN	Description	PSP
ECP35RDCW	3 700619 432021	Motion-Sensing Supplementary Lighting, USB rechargeable, 50 Lumens, 3000 K, Warm White	8
ECP40DCW	3 700619 431901	Motion-Sensing Supplementary Lighting, 50 Lumens, batteries included, 3000 K, Warm White, 12 pcs display	12
PACK2ECP30TCW	3 700619 431895	Set of 2 LED Auxiliary Lights, 50 Lumens, touch-sensitive, batteries included (3x LR03), 4000 K, Neutral White, display 12 pcs	12









HUB850RBIPCCT | 3700619433417



Ø170 x60 mm

230V AC

Angle Large Conso 12W







25000 h of life Integrated LED

Guarantee 3 years

4000K









HUB850RNIPCCT | 3700619433424





Ø170 x60 mm 230V AC Angle Large Conso 12W

IP65

25000 h of life Integrated LED Guarantee 3 years









HUB8500BIPCCT | 3700619433431



1500 LM



200 x100 x60 mm 230V AC Angle Large

25000 h of life Integrated LED Guarantee 3 years



Reference	EAN	Description	PSP	
HUB850RBIPCCT	3 ¹⁷⁰⁰⁶¹⁹ 433417	White round LED bulkhead, 1500 lumens, CCT, 3000-4000-5000K, warm white, neutral white, cool white	8	
HUB850RNIPCCT	3 ¹⁷⁰⁰⁶¹⁹ 433424 ¹	Black round LED bulkhead, 1500 lumens, CCT, 3000-4000-5000K, warm white, neutral white, cool white	8	
HUB8500BIPCCT	3 ¹ 700619 ¹ 433431 ¹	White oblong LED bulkhead, 1500 lumens, CCT, 3000-4000-5000K, warm white, neutral white, cool white	8	













HUB8500NIPCCT | 3700619433448



230V AC







5000K

200 x100 x60 mm Angle Large Conso 12W

25000 h of life Integrated LED Guarantee 3 years

4000K





PR20WT | 3700619415420

800 x495 x1780 mm Mains socket IP44 Shock resistance



6500K - COOL WHITE

Angle 110° Range 40m Cable length 2m 25000 h of life



÷


- -



Po lia 6500K - COOL WHITE

Angle 110° Range 60m Cable length 2m 25000 h of life

Reference	EAN	Description	PSP	
HUB8500NIPCCT	3 700619 433448	Black oblong LED bulkhead, 1500 lumens, CCT, 3000-4000-5000K, warm white, neutral white, cool white	8	
PR20WT	3 700619 415420	Mains-powered 20W LED Work Light, Tripod, 1 Head, 20W, 1600 Lumens, 6500 K, Cool White	2	
PR20W2T	3 700619 415437	Mains-powered IP44 LED Work Light, Tripod, 2 Heads, 2X20W, 2X1600 Lumens, 6500 K, Cool White	2	









LSS250 | 3700619438108



Ø104 x177 mm

Autonomy 6H IP44

2 lighting modes





5000K - COOL WHITE

Range 3m Remote Guarantee 2 years



FR350S | 3700619420219



6500K - COOL WHITE

36 x49 x80 mm IP44 USB charge Range 15m

Autonomy 3H Guarantee 2 years





FR450SSTRIP | 3700619433653



20 x32 x320 mm IP20 Autonomy 15H Range 22m

Shock resistance Guarantee 2 years

Reference	EAN	Description	PSP
LSS250	3 ⁷⁰⁰⁶¹⁹ 438108	Hybrid hanging black LED lantern, rechargeable and solar, 250 lumens, 5000 K, neutral white	4
FR350S	3 ^{"700619"} 420219	USB Rechargeable Adjustable LED Head Torch, 350 Lumens, 3 lighting modes, 6h battery life, 6500 K, Cool White	4
FR450SSTRIP	3 ⁷⁰⁰⁶¹⁹ 433653	LED sensor 3w 120 lumens & 5w cob led 300 lumens usb rechargeable head torch	8















FR200VEL | 3700619433660



6500K - COOL WHITE

16 x45 x60 mm 2 lighting modes IP44 Autonomy 11H

Range 20m Shock resistance Guarantee 2 years







BL700R | 3700619435442



6500K - COOL WHITE

42 x60 x125 mm USB charge IP20 Tripod support

Autonomy 28H Shock resistance Range 30m Charge indicator






BL1200R | 3700619435459



22 x50 x125 mm Aluminium USB charge IP20

Autonomy 24H Range 80m Shock resistance Charge indicator











BL250R | 3700619420288



6500K - COOL WHITE

30 x47 x190 mm USB charge IP20 Autonomy 3H

Range 10m Guarantee 2 years







BL450RL | 3700619421018



6500K - COOL WHITE

35 x60 x190 mm USB charge Hook fixing Magnetic fixing

Autonomy 2H Range 15m Guarantee 2 years



PR2000RIP | 3700619435497



6500K - COOL WHITE

108 x130 x200 mm USB charge Tripod support Autonomy 50H

Range 600m Shock resistance Battery Bank Charge indicator









T0250S | 3700619420257



6500K - COOL WHITE

Ø36 x124 mm Batteries included Range 200m Autonomy 10H

Guarantee 2 years





T0600M | 3700619420233



6500K - COOL WHITE

Ø39 x137 mm Batteries included Range 200m 3 lighting modes

Autonomy 8H Guarantee 2 years



T01000RIP | 3700619435473



6500K - COOL WHITE

Ø39 x162 mm Aluminium Shock resistance Autonomy 15H Rechargeable or batteries (3xAA) Range 100m Charge indicator Guarantee 2 years

Reference	EAN	Description	PSP	
T0250S	3 ¹ 700619 ¹ 420257	300 Lumens LED Torchlight, 10-hour Battery Life, 3 Lighting Modes, Batteries Included (3xAAA), 6500 K, Cool White	8	
T0600M	3 ¹ 700619 ¹ 420233 ¹	600 Lumens Aluminum LED Torchlight, 3 Lighting Modes, Batteries Included (4xAAA), 6500 K, Cool White	8	
T01000RIP	3 ¹ 700619 ¹ 435473	1000 Lumens LED Torchlight, IP44, USB Rechargeable or Battery-Powered (3XAA), 3 Lighting Modes, 15-hour Battery Life, 6500 K, Cool White	4	











T02500RIP | 3700619435480





Autonomy 6H Range 200m Shock resistance Guarantee 2 years







ASTROLITE | 3700619433592



Guarantee 2 years







IRONLITE | 3700619437675



NEW

Reference	EAN	Description	PSP	
TO2500RIP	3 ¹¹ 700619 ¹¹ 435480 ¹¹	1200 Lumens LED Torchlight, Power Boost Mode 2500 Lumens, IP44, USB Rechargeable, 3 Lighting Modes, 6500 K, Cool White	4	
ASTROLITE	3 ¹⁷⁰⁰⁶¹⁹ 433592	Astrolite LED Projector Night Light, 5 Nebula Projection Modes, Starry Sky Projection, Built-in Timer, USB Wired, Display 12 pcs	12	
IRONLITE	3 ¹¹ 700619 ¹¹ 437675 ¹¹	Ironlite LED projector night light, 5 nebula projection modes, starry sky projection, built-in timer, USB rechargeable, 2-hour battery life, 12pcs display. Limited edition	12	









SPACELITE | 3700619437576





Guarantee 2 years









LAPRVBM | 3700619433233



50x 70x 260 mm USB recharging 25000 h of life Guarantee 2 years

Ø244 x241 mm







LAMRVBM | 3700619433240



Ø50 x61 mm USB recharging Remote Aluminium

25000 h of life Guarantee 2 years

Reference	EAN	Description	PSP	
SPACELITE	3 ¹⁷⁰⁰⁶¹⁹ 437576	Spacelite LED Spaceship, 8 Nebula Projection Modes, Starry Sky Projection, Built-in Bluetooth Speaker, Music-Synced Digital Strip, Built-in Timer	4	
LAPRVBM	3 ¹⁷⁰⁰⁶¹⁹ 433233 ¹	RGB LED light bar, music synchronization, wired USB, 36 pcs display	36	
LAMRVBM	3 ¹⁷⁰⁰⁶¹⁹ 433240	RGB LED floor lamp, music synchronization, wired USB, 30 pcs display	10	

N N

ENERGEEKS IBERIA, S.L.

C/ Méjico, 6 - Pol. Ind. El Descubrimiento 28806 - Alcalá de Henares - Madrid Tel: 91 879 72 00

